

INDEX MAPS.

T. 17 N, R. 4 W. 2nd Mer.

	250	250	249	249	249	248						
252	6	272	5	269	4	264	3	260	2	256	1	248
	273	272	268	264	260	256						
251	7	272	8	268	9	264	10	259	11	255	12	248
	273	271	268	263	259	256						
251	18	271	17	266	16	263	15	259	14	254	13	247
	274	271	266	263	258	254						
251	19	270	20	266	21	262	22	258	23	254	24	247
	274	270	266	262	258	253						
251	30	270	29	266	28	261	27	257	26	253	25	247
	274	269	265	261	257	252						
250	31	269	32	265	33	261	34	256	35	252	36	247
	246	246	245	245	245	245						

T. 18 N, R. 4 W. 2nd Mer.

	282		281		281		281		281		280	
283	6	304	5	300	4	296	3	292	2	288	1	280
	307		304		300		295		291		287	
283	7	304	8	299	9	295	10	291	11	287	12	280
	306		303		299		295		290		286	
283	18	303	17	298	16	294	15	290	14	286	13	279
	306		302		298		294		290		286	
283	19	302	20	298	21	294	22	289	23	285	24	279
	305		302		297		293		289		285	
282	30	301	29	297	28	293	27	289	26	284	25	279
	305		301		297		292		288		284	
282	31	301	32	296	33	292	34	288	35	284	36	278
	278		278		277		277		277		277	

The figures on the lines refer to the page.

245

Township N. 47 North, Range N. 4 West 2. Mer. Ind.

Township Line.

Chs. 20. South Boundary. Var. 6° 20' E.

Bearings at cor. of T. 17 N, R. 3 & 4 W.

an Ironwood 5 in. dia bears N 28° W 20 lbs. dist. 8

a Hickory 30 " " " S 29° W 2 " "

West on the S. Boundary of Sec. 36

30.00 a Brook 12 lbs. wide course N

40.00 set of sec. port from which

a Sugar 9 in. dia bears S 79° E 13 lbs. dist. 8

a B. Walnut 19 " " " N 61° W 28 " "

80.00 set port cor. of sec. 35 & 36 from which

an Elm 9 in. dia bears S 15° E 39 lbs. dist. 8

a Hickory 8 " " " N 38° W 20 " "

Land rich & good for farming, a little rolling,
timber Beech, Sugar &c.

West on the S. Boundary of Sec. 35

40.00 set of sec. port from which

a Sugar 8 in. dia bears N 1° E 9 lbs. dist. 8

a Hickory 12 " " " S 49° W 19 " "

80.00 set port cor. of sec. 34 & 35 from which

a Sugar 20 in. dia bears N 49° W 23 lbs. dist. 8

a B. Oak 6 " " " S 43° E 32 " "

Land T. rate, timber Sugar, Walnut, Oak, Hick. &c.

West on the S. Boundary of Sec. 34

40.00 set of sec. port from which

a Hackberry 8 in. dia bears S 61° E 10 lbs. dist. 8

a Buckeye 8 " " " N 83° W 19 " "

50.00 a Creek 70 lbs. wide course S W

80.00 set port cor. of sec. 33 & 34 from which

a B. Walnut 6 in. dia bears N 46° E 26 lbs. dist. 8

a Hackberry 10 " " " N 79° E 28 " "

Land T. rate Bottom, part overflows

West on the S. Boundary of Sec. 33

T. 17 N., R. 4 W. 2. Mer. Ind.^a

Ch. Lk.

- 5.00 a Creek 30 lbs. wide course S
 20.00 a Brook 20 " " " S
 40.00 set of sec. part from which
 a Sugar 20 in. diameter N 57° W 33 lbs. dist. 8
 a Do 26 " " " S 82° E 25 " "
 73.00 a Brook 6 lbs. wide course S
 80.00 set part cen. of sec. 32 & 33 from which
 a Beech 14 in. diameter N 2° E 6 lbs. dist. 8
 a Buckeye 6 " " " S 38° W 19 " "
 Var. by observation 6⁰⁰. E.
 (Description of land &c. omitted)
-

West on the S. Boundary of Sec. 32

- 40.00 set of sec. part from which
 a Beech 10 in. diameter S 19° E 15 lbs. dist. 8
 a Sugar 12 " " " N 74° W 17 " "
 144.00 a Brook 10 lbs. wide course S
 62.86 Intersect Range line 43 7/8 lbs. N. of temp. Towns. cor.
 set part at intersection cen. of T. 16 N., R. 4 & 5 W. from
 which a Beech 18 in. diameter S 7° E 30 lbs. dist. 8
 a Sugar 24 " " " N 14° W 27 " "
 80.00 set part cen. of sec. 31 & 32 from which
 a Beech 8 in. diameter S 29° E 11 lbs. dist. 8
 a Sugar 10 " " " N 33° E 20 " "
 Land rich & good for farming, timber Beech,
 Sugar, Walnut &c.
-

West on the S. Boundary of Sec. 31

- 100.00 set of sec. part from which
 a Hickory 9 in. diameter N 61° E 19 lbs. dist. 8
 a Lynn 14 " " " S 82° W 11 " "
 46.00 a Brook 10 lbs. wide course S
 80.00 set part cen. of Towns. 17 N., R. 4 & 5 W. from which
 a Poplar 12 in. diameter N 66° E 18 lbs. dist. 8
 a Do 12 " " " S 81° W 25 " "
 Land same as last noted
-

T. H. N., R. & W. 2^d. Mer. Ind^a.

Ch. & Co.

East Boundary. Var. 6th 40th. E.

North on the E. Boundary of Sec. 36

12.00 a Brook 30th. wide course W

40.00 set of sec. part from which

an Ironwood 7 in. diameter S 13 E 10th. dist. 8

a Do 6 " " " N 81 W 9 " "

73.00 a Creek 50th. wide course W

80.00 set part cor. of sec. 25 & 36 from which

a Thorn 9 in. diameter N 57 W 7th. dist. 8

a Beech 8 " " " S 21 E 19 " "

Land rolling, good for farming, timber Beech,
Sugar, Ash, Oak, Elm, Sycam

North on the E. Boundary of Sec. 25

40.00 set of sec. part from which

a Hickory 24 in. diameter S 47 E 29th. dist. 8

an Ironwood 8 " " " North 8 " "

80.00 set part cor. of sec. 24 & 25 from which

a W. Oak 30 in. diameter S 43 E 10th. dist. 8

a Do 9 " " " N 19 W 36 " "

Land level, part rather wet, timber Oak,
Hickory, Ash, Sycam, Beech, Elm & L. oaks

North on the E. Boundary of Sec. 24

40.00 set of sec. part from which

a Beech 9 in. diameter S 82 E 19th. dist. 8

an Ironw. 5 " " " N 28 W 10 " "

80.00 set part cor. of sec. 13 & 24 from which

a W. Oak 9 in. diameter N 30 E 22th. dist. 8

a Do 30 " " " N 58 W 19 " "

Land similar, middling good for farming

North on the E. Boundary of Sec. 13

August 28. 1819

10.00 a Creek 50th. wide course S W

40.00 set of sec. part from which

T. 17 N., R. 4 W. 2. Mer. Ind. ^a

Chas. D. D.

a Sugar 24 in. dia. bears S 13 E 11 lbs. dist. 8,

a W. Oak 6 " " " N 14 W 44 " "

80.00 set part cen. of sec. 12 & 13 from which

an Ironwood 6 in. dia. bears S 44 W 11 lbs. dist. 8,

a Beech 6 " " " N 48 W 12 " "

Land level, rich & good for farming, timber
Beech, Sugar, Walnut, Ash, Oak, Buckeye

North on the E. Boundary of Sec. 12

40.00 set g. sec. part from which

a Beech 18 in. dia. bears S 7 E 10 lbs. dist. 3

a W. Oak 14 " " " N 15 W 19 " "

80.00 set part cen. of sec. 11 & 12 from which

a Sugar 18 in. dia. bears S 29 W 41 lbs. dist. 3

a Beech 30 " " " N 4 E 47 " "

Land level & good for farming, timber Beech,
Sugar, Ash, Elm, Oak, Gum

North on the E. Boundary of Sec. 1

5.00 Fort Wayne trail

8.00 a Brook 10 lbs. wide course W

32.00 a Spring branch 4 lbs. wide course W

38.00 a Creek 20 lbs. wide course S W

40.00 set g. sec. part from which

a W. Beech 8 in. dia. bears S 57 E 8 lbs. dist. 8

a Beech 10 " " " N 3 E 11 " "

78.40 to part cen. of T. 17 & 18 N., R. 3 & 4 W. from which

a Hickory 30 in. dia. bears S 27 W 9 lbs. dist. 8

a Sugar 14 " " " N 56 E 34 " "

Land similar —

North Boundary. Var. 6. 40. E.

West on the S. Boundary of Sec. 36, T. 18 N., R. 4 W

40.00 set g. sec. part from which

a B. Walnut 24 in. dia. bears N 64 E 30 lbs. dist. 8

a W. Oak 48 " " " S 30 W 8 " "

T. 17 N., R. 4 W. 2. Mer. Ind.^a

Chm. Ekr.

80.00 set part cor. of sec. 35 & 36 from which
a Maple 14 in. dia. bears N 41 E 8 lbs. dist. 8
a B. Ash 8 " " " S 85 W 13 " "
Land level & good for farming, timber Beech,
Sugar &c.

West on the S. Boundary of Sec. 35, T 18 N., R 4 W

40.00 set of sec. part from which
a Beech 14 in. dia. bears N 8 E 22 lbs. dist. 8
a Hickory 14 " " " S 48 E 23 " "

80.00 set part cor. of sec. 34 & 35 from which
a Sugar 14 in. dia. bears N 40 E 15 lbs. dist. 8
a Do 9 " " " S 57 W 8 " "
Land similar, part wet

West on the S. Boundary of Sec. 34, T 18 N., R 4 W

20.00 a Brook 12 lbs. wide course NW

40.00 set of sec. part from which
a Sugar 12 in. dia. bears S 22 W 15 lbs. dist. 8
a W. Oak 6 " " " N 4 W 31 " "

50.00 same Creek course SW

80.00 set part cor. of sec. 33 & 34 from which
a Beech 12 in. dia. bears S 67 E 25 lbs. dist. 8
a W. Ash 12 " " " S 87 W 24 " "
1/2 mile very rich & good for farming

West on the S. Boundary of Sec. 33, T 18 N., R 4 W

40.00 set of sec. part from which
a Hickory 14 in. dia. bears S 34 E 17 lbs. dist. 8
a Beech 9 " " " N 83 W 23 " "

55.00 a Brook 10 lbs. wide course SW

70.00 a Creek 20 lbs. wide course NW

80.00 set part cor. of sec. 32 & 33 from which
a Buckeye 10 in. dia. bears N 1 E 19 lbs. dist. 8
a W. Walnut 30 " " " S 68 W 22 " "
Land level & rate, middling good for farming

T. 17 N., R. 4 W. 2. Mer. Ind.?

Ch. E. & S.

West on the S. Boundary of Sec. 32, T 18 N, R 4 W

1.00 a Creek 20 lbs. wide course S W

15.00 a Do 30 " " " " S W

40.00 set q. sec. part from which

a Hickory 18 in. diam bears N 20 E 24 lbs. dist. 3,

a Sugar 18 " " " S 17 W 36 " "

45.00 a Creek 30 lbs. wide course S W

80.00 set part cen. of sec. 31 & 32 from which

a Sugar 9 in. diam bears N 72 E 37 lbs. dist. 3

a Poplar 48 " " " S 14 W 10 " "

Land a little rolling, rich & good for farming
timber Beech, Sugar, Walnut, Poplar &c.

West on the S. Boundary of Sec. 31, T 18 N, R 4 W

15.00 a Creek 30 lbs. wide course N W

40.00 set q. sec. part from which

a Sycamore 36 in. diam bears East 28 lbs. dist. 3

a Hackberry 9 " " " S 19 E 22 " "

76.11 Interest Range line 557 lbs. S. of temp. Township

Cor. - set part at intersection cen. of T. 17 & 18 N,

R. 4 & 5 W. from which

a W. Oak 36 in. diam bears S 17 W 8 lbs. dist. 3

a Hickory 12 " " " N 19 E 26 " "

Land &c. same as last noted

West Boundary, Var. C. 50. E.

North on the E. Boundary of Sec. 36, T 17 N, R 5 W

40.00 set q. sec. part from which

a Beech 11 in. diam bears N 70 E 8 lbs. dist. 3

a Sugar 9 " " " S 17 W 28 " "

80.00 set part cen. of sec. 25 & 36 from which

a Sugar 8 in. diam bears S 70 W 5 lbs. dist. 3

a Beech 14 " " " East 30 " "

Land level & good for farming, timber Beech,
Sugar, Ash, Oak &c.

T. 17 N., R. 4 W. 2. Mer. Ind.^a
Chs. 216?

North on the E. Boundary of Sec. 25, T17N, R5W

40.00 set q. sec. post from which
a Beech 18 in. diameter S8E24 lbs. dist 8
a Hickory 9 " " " N6W15 " "

80.00 set post cor. of sec. 24 & 25 from which
a Beech 6 in. diameter S54E15 lbs. dist 8
a Sugar 27 " " " N37W23 " "
Land same as last noted

North on the E. Boundary of Sec. 24, T17N, R5W
August 27. 1819

22.00 a Brook 10 lbs. wide course E

40.00 set q. sec. post from which
a Beech 12 in. diameter N51W34 lbs. dist 8
a " 10 " " " South 2 " "

80.00 set post cor. of sec. 13 & 24 from which
a Beech 27 in. diameter S70E38 lbs. dist 8
a " 30 " " " N66W33 " "
Land same as last noted

North on the E. Boundary of Sec. 13, T17N, R5W

31.00 a Brook 20 lbs. wide course W

40.00 set q. sec. post from which
a Buckeye 4 in. diameter S49E13 lbs. dist 8
an Elm 9 " " " N56W30 " "

75.00 a Brook 12 lbs. wide course W

80.00 set post cor. of sec. 12 & 13 from which
a Sugar 10 in. diameter S74W17 lbs. dist 8
a " 8 " " " N13W7 " "

Land level rich & good for farming, timber
Beech, Sugar, Walnut, some Buckeye, Ash,
Poplar, Oak

North on the E. Boundary of Sec. 12, T17N, R5W

40.00 set q. sec. post from which
a Sugar 11 in. diameter S40E16 lbs. dist 8

T17N, R4W, 2^d Mer. Ind.^a
Chs. Sh.

a Sugar 9 in. diameter N70W20 lbs. dit.
80.00 set post cor. of sec. 1 & 2 from which
a B. Ash 6 in. diameter N65W15 lbs. dit.
a W. Beech 4 " " " S80E7 " "
Land level, part wet, 2^d rate, timber Beech, Sugar,
Ash, Elm

North on the E. Boundary of Sec. 1, T17N, R5W

40.00 set q. sec. post from which
a Beech 10 in. diameter N76E10 lbs. dit.
a Do 11 " " " S43W21 " "
80.00 a dry Branch 5 lbs. wide course W. and
set temp. Township corner.
Land similar, muddling good for farming.
A Spring 40 lbs. S.E. of this point.
Surveyed in 1819 by William Harris
Dep. Surveyor.

Subdivision.

North between Sect. 35 & 36, T17N, R4W

2.00 a B. Walnut 30 in. dia.
34.50 a good Spring runs N.
40.00 set q. sec. post from which
a W. Walnut 24 in. diameter S62E49 lbs. dit.
a Sugar 20 " " " N49W15 " "
41.70 a W. Oak 14 " "
46.00 a Stream 50 lbs. wide runs W
80.00 set post cor. of sec. 25, 26, 35 & 36 from which
a Sugar 20 in. diameter N30E23 lbs. dit.
a Beech 8 " " " S35W20 " "
(Description of land &c. omitted) June 19, 1820

East on Randon between Sect. 25 & 36

40.00 set temp. q. sec. post
73.50 a Stream 6 lbs. wide course S W
79.80 Intersect E. Boundary 28 lbs. S. of post -

T. H. N., R. H. W. L. Mer. Ind. Co.

Chk. Chk.

Land level & good for farming, timber Sugar, B.
Walnut, Hickory, Ash & Oak

West Connected between Sec. 25 & 26

29.90 a B W 24 in. dia.

39.90 set gr. sec. post at aver. dist. from which
a B. Ash 10 in. dia. bears S 29 E 13 1/2 m. dist. S
a Hickory 12 " " " N 20 W 31 " "

40.63 a Bur Oak 20 " "

79.80 to sec. cor.

North between Sec. 25 & 26

3.90 an Elm 15 in. dia.

40.00 set gr. sec. post from which

a Hornbeam 5 in. dia. bears N 72 E 18 1/2 m. dist. S

a W. Elm 14 " " " N 35 W 28 " "

44.00 a Stream 25 m. wide course S W

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Sugar 26 in. dia. bears N 28 E 9 1/2 m. dist. S

a W. Oak 18 " " " S 65 W 52 " "

First 1/2 mile land level rich, last 1/2 mile 1st
rate, timber B. Walnut, Blue Ash & Hickory
Wyr. Spice

East on Random between Sec. 24 & 25

40.00 set temp. gr. sec. post

49.50 a Stream 10 m. wide course S W

79.50 Intersect E. Boundary 25 m. N. of post -

Land level, soil rich, timber Oak, Sugar &
Hickory. Wyr. Hazel & Spice

West Connected between Sec. 24 & 25

39.75 set gr. sec. post at aver. dist. from which

a B. Oak 24 in. dia. bears N 8 W 10 m. dist. S

a W. Oak 16 " " " S 29 W 20 " "

60.40 a Do 18 " "

T. 17 N., R. 4 W. 2. Mer. Ind.?

Chas. Chas.

79.50 to sec. cor. June 19. 1820

North between Sect. 23 & 24

1.83 a W. Oak 20 in. dia.

40.00 set q. sec. post from which

a Sycamore 20 in. dia bears N 70 W 7 lks. dist. S

an Elm 12 " " " N 34 E 14 " "

40.50 Racoon Creek 75 lks. wide course S W

42.70 a Buckeye 14 in. dia.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a Hickory 10 in. dia bears N 22 W 9 lks. dist. S

a Sugar 12 " " " S 80 E 29 " "

Land level rich, timber Sugar, B. Walnut,
Blue Ash & Spice June 20. 1820

East on Random between Sect. 13 & 24

35.00 Racoon Creek 75 lks. wide course S W

40.00 attempt q. sec. post

40.50 Racoon Creek 75 lks. wide course N W

49.50 leave the Creek

50.50 a Stream 25 lks. wide course N

67.50 Racoon Creek course N W

72.50 Do " " S W

79.00 Intersect E. Boundary 23 lks. S. of post -
(Description of land &c. omitted)

West Corrected between Sect. 13 & 24

39.50 set q. sec. post at even. dist. from which

a Buckeye 7 in. dia bears S 10 E 24 lks. dist. S

a Hickory 10 " " " N 37 W 34 " "

79.00 to sec. cor. June 20. 1820

North between Sect. 13 & 14

3.11 a Sugar 16 in. dia.

40.00 set q. sec. post from which

a B. Walnut 40 in. dia bears N 34 E 18 lks. dist. S

T. 17. N., R. 4 W. 2. Mer. Ind.

Ch. 25.

a Sugar 16 in. diameter S 37 W 31 lbs. di. t.

41.53 a B. Walnut 40 in. di.

51.00 the Road to Fort Wayne

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Beech 20 in. diameter N 28 W 22 lbs. di. t. &

a W. Oak 12 " " " S 45 E 37 " "

Land & timber same as last noted
Sugar
W. Spice

East in Random between Sec. 12 & 13

17.50 the Road to Fort Wayne

40.00 set temp. q. sec. post

78.68 Intersect E. Boundary 20 lbs. S. of post -

Land & timber the same as last noted

West Connected between Sec. 12 & 13

39.34 set q. sec. post at cor. di. t. from which

a W. Oak 20 in. diameter N 11 E 8 lbs. di. t. &

an Ironwood 4 " " " S 30 E 11 " "

78.68 to sec. cor. June 20, 1820

North between Sec. 11 & 12

13.00 a B. Oak 24 in. di.

19.00 a Stream 20 lbs. wide course W

40.00 set q. sec. post from which

a Sugar 18 in. diameter S 18 W 24 lbs. di. t. &

a Do 15 " " " N 31 E 14 " "

42.17 a Do 16 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a B. Walnut 16 in. diameter S 87 W 32 lbs. di. t. &

a Beech 9 " " " N 72 E 19 " "

First 1/2 mile land some broken, last 1/2 mile
level good farming land, timber W & B. Oak
and B. Walnut. W. Spice - June 20, 1820

East in Random between Sec. 11 & 12

T17 N., R. 4 W. 2. Mer. Ind.?

Chs. Lbs.

40.00 set temp. g. sec. part

52.20 a Stream 20 lbs. wide course S W

67.00 a Do 12 " " " " W

75.00 the Road to Fort Wayne

79.30 Intersect E. Boundary 30 lbs. S. of part -
Land & timber the same as last noted

West Connected between Sec. 1 & 12

5.75 a W. Oak 14 in. dia.

39.65 set g. sec. part at aver. dist. from which
a Hickory 40 in. dia. bears N 4 W 24 lbs. dist. S
a Do 30 " " " " S 13 E 22 " "

41.64 a W. Oak 16 " "

79.30 to sec. cor. June 20, 1820

North between Sec. 1 & 2

7.44 a Sugar 10 in. dia.

40.00 set g. sec. part from which

a W. Elm 16 in. dia. bears S 54 E 4 lbs. dist. S

a Sugar 14 " " " " N 87 W 40 " "

42.87 a B. Oak 24 " "

46.50 a Stream 6 lbs. wide course E

79.17 Intersect N. Boundary 117 lbs. E. of part -

set part at intersection cor. of sec. 1 & 2 from which

a B. Oak 18 in. dia. bears S 79 E 59 lbs. dist. S

a W. Elm 8 " " " " S 82 W 46 " "

Level land of 2^d quality, timber Oak, Beech,
Sugar, Poplar, Wyr. Spice & Maple

North between Sec. 34 & 35

1.37 a Sugar 20 in. dia.

13.00 Racoon Creek 100 lbs. wide course S W

40.00 set g. sec. part from which

a B. Walnut 20 in. dia. bears North 25 lbs. dist. S

a Sugar 20 " " " " S 78 E 25 " "

43.90 a Beech 12 " "

T. 17 N., R. 4 W. 2. Mer. Ind. a.
 Chas. L. R.

78.00 Racoon Creek 100 lbs. wide course S E
 80.00 set part cor. of sec. 26, 27, 34 & 35 from which
 a Willow 5 in. diameter East 4 lbs. dist. &
 a Do 6 " " " S 88 W 9 " "
 First 1/2 mile land some broken, last 1/2
 mile rolling, soil good, timber Sugar,
 Oak, Walnut

East in Random between Sec. 26 & 35

40.00 set temp. q. sec. post
 56.00 a Stream 12 lbs. wide course S W
 80.00 Intersect N & S line 50 lbs. N. of post -

West Corrected between Sec. 26 & 35

3.12 an Elm 14 in. dia.
 40.00 set q. sec. post at aver. dist. from which
 a Sugar 12 in. diameter N 58 E 16 lbs. dist. &
 an Elm 24 " " " S 30 W 29 " "
 43.16 a Will Oak 18 " "
 80.00 to sec. cor.
 Land level, soil rich, timber Oak, Beech,
 Sugar, Upr. Spice

North between Sec. 26 & 27

17.92 a Hickory 18 in. dia.
 40.00 set q. sec. post in Racoon Creek from which
 a Sycamore 15 in. diameter N 3 E 44 lbs. dist. &
 a Do 24 " " " N 17 W 37 " "
 46.46 a Sugar 18 " "
 80.00 set part cor. of sec. 22, 23, 26 & 27 from which
 a B. Oak 30 in. diameter S 27 E 26 lbs. dist. &
 an Ironwood 5 " " " S 57 W 10 " "
 The Road to Fort Wayne.
 Land 1 1/2 mile some broken, last 1/2 mile rolling
 good farming land, timber Beech, Sugar, Walnut
 & Oak. Upr. Spice

T. 17 N., R. 4 W. 2. Mer. Ind^a

Ch. Sk.

East on Random between Sec. 23 & 26

40.00 set temp. q. sec. post in Racoon Creek 75 lbs. wide
course S W80.00 Intersect N & S. line 25 lbs. N. of post -
(Description of land &c. omitted)

West Corrected between Sec. 23 & 26

2.00 a Hickory 16 in. dia.

40.00 set q. sec. post at aver. dist. from which
a Lycamore 7 in. dia. bears N 20 E 39 lbs. dist S
a Boxelder 6 " " " S 78 E 60 " "

46.00 an Elm 9 " "

80.00 to sec. cor.

North between Sec. 22 & 23

8.62 a Sugar 30 in. dia.

40.00 set q. sec. post from which
a Sugar 18 in. dia. bears S 76 E 28 lbs. dist S
a Hickory 9 " " " N 76 W 16 " "

48.50 a Stream 25 lbs. wide course S W

50.36 a B. Oak 36 in. dia.

80.00 set post cor. of Sec. 14, 15, 22 & 23 from which
a Poplar 72 in. dia. bears West 17 lbs. dist S
a Sugar 16 " " " East 4 " "Land T. 1/2 mile rolling, last 1/2 mile some broken,
soil 2^d quality, timber Beech, Sugar & Poplar
Wgs. Spruce. June 22. 1820

East on Random between Sec. 14 & 23

17.50 a Stream 25 lbs. wide course S W

40.00 set temp. q. sec. post

44.00 Road to Fort Wayne

80.00 Intersect N & S. line 32 lbs. N. of post -
Land & timber the same as last noted.

West Corrected between Sec. 14 & 23

T. 17 N., R. 4 W. L. Mer. Ind. a.

E. 1/2 Sec. 1.

- 3.40 a Sugar 14 in. dia.
 40.00 set q. sec. post at aver. dist. from which
 a Poplar 48 in. dia bears N 63 E 13 lbs. dist. 8
 a Sugar 15 " " " S 32 W 19 " "
 51.91 a Do 18 " "
 80.00 to sec. cor.
-

North between Sec. 14 & 15

- 0.30 a Sugar 20 in. dia.
 40.00 set q. sec. post from which
 a W. Elm 48 in. dia bears S 20 W 28 lbs. dist. 8
 a B. Oak 12 " " " N 18 W 19 " "
 40.33 a Hickory 36 " "
 80.00 set post cor. of sec. 10, 11, 14 & 15 from which
 a Beech 14 in. dia bears S 54 W 22 lbs. dist. 8
 a W. Oak 30 " " " N 42 E 47 " "
 Level 2 rate land, timber Beech, Sugar,
 Poplar, Oak
-

East on Random between Sec. 11 & 14

- 40.00 set temp. q. sec. post
 59.00 a Stream 18 lbs. wide course S W
 79.96 Intersect N. S. line 12 lbs. N. of post —
 Land level, timber Sugar, B. Walnut, Ash.
 Wyr. Spice
-

West Cornered between Sec. 11 & 14

- 1.74 a Hickory 36 in. dia.
 39.98 set q. sec. post at aver. dist. from which
 a Sugar 20 in. dia bears N 5 W 16 lbs. dist. 8
 a Do 18 " " " S 70 W 14 " "
 45.44 a Do 18 " "
 79.96 to sec. cor.
-

North between Sec. 10 & 11

- 2.70 a Beech 18 in. dia.

T. 17 N., R. 4 W. 2. Mer. Ind.^a

Ch. Cr.

- 11.20 a Stream 10 lks. wide course E
 32.00 a Do 10 " " " W
 40.00 set q. sec. post from which
 a Buckeye 18 in. diameter S 57 E 5 lks. dist. S
 an Elm 26 " " " N 41 W 7 " "
 51.58 a Beech 10 " "
 50.00 set post cor. of sec. 2, 3, 10 & 11 from which
 a Beech 18 in. diameter S 59 W 20 lks. dist. S
 a Do 12 " " " N 10 W 20 " "
 Level 2^d rate land, timber Beech, Oak, Walnut,
 Ash & Sugar; Ugs. Hazel June 23. 1820
-

East on Random between Sec. 2 & 11

- 40.00 set temp. q. sec. post
 54.00 a Stream 8 lks. wide course S
 79.55 Intersect N. S. line 13 lks. N. of post -
 Land 2^d rate, timber Beech, Sugar, Walnut
 Hickory
-

West Corrected between Sec. 2 & 11

- 4.40 a Sugar 14 in. dia.
 39.77 1/2 set q. sec. post at aver. dist. from which
 a Beech 14 in. diameter N 20 W 7 lks. dist. S
 a Poplar 8 " " " S 74 E 22 " "
 41.41 a B. Oak 20 " "
 79.55 to sec. cor. June 23. 1820
-

North between Sec. 2 & 3

- 4.13 a W. Ash 18 in. dia.
 40.00 set q. sec. post from which
 a Beech 14 in. diameter North 5 lks. dist. S
 a W. Elm 15 " " " N 76 E 17 " "
 49.61 a W. Ash 16 " "
 79.90 Intersect N. Boundary 200 lks. E. of post -
 set post at intersection cor. of sec. 2 & 3 from which
 a Beech 18 in. diameter S 15 W 11 lks. dist. S

T. 17 N., R. 4 W. 2^d. Mer. Ind^a.
Chs. Lk?

a W. Elm 10 in. diameter S 43 E 50 lbs. dnt.

Land 2^d rate, timber Beech, Oak, Sugar, last
1/2 mile level

North between Sec. 33 & 34

5.33 a Hackberry 10 in. dia.

24.00 a Stream 50 lbs. wide course S W

40.00 tot gr. sec. port from which

a W. Oak 18 in. dia. leans S 25 E 33 lbs. dnt &

a Sugar 9 " " " S 77 W 19 " "

45.44 a Do 10 " "

80.00 tot port on. of sec. 27, 28, 33 & 34 from which

a Sugar 20 in. dia. leans N 27 W 38 lbs. dnt &

a Do 24 " " " S 51 E 12 " "

First 1/2 mile level 1st rate, last 1/2 mile broken

2^d rate, timber Sugar, B Walnut, Ash,

Oak; Upr. Spice June 23. 1820

East on Randon between Sec. 27 & 34

15.00 a Stream 0 lbs. wide course S

36.00 an Indian trail

40.00 tot temp. gr. sec. port

56.00 a Stream 50 lbs. wide course S W

58.00 an Indian Village on our right

80.00 Intersect N & S line 20 lbs. S. of port -

Land broken, soil 2^d rate, timber as before

West Connected between Sec. 27 & 34

7.44 a Sugar 30 in. dia.

40.00 tot gr. sec. port at aver. dnt. from which

a Sugar 20 in. dia. leans N 74 E 60 lbs. dnt &

a Do 20 " " " N 71 E 40 " "

50.20 a Do 12 " "

80.00 to sec. cor. June 23. 1820

North between Sec. 27 & 28

T. W. N., R. 4 W. 2. Mer. Ind.^a
Chs. Spr.

10.70 a Beech 18 in. dia.

40.00 set gr. sec. post from which
an Ash 4 in. dia bears S 25 E 9 lbs. dist. S
a Beech 7 " " " N 10 W 20 " "

50.30 a Sugar 12 " "

80.00 set post cor. of Sec. 21, 22, 27 & 28 from which
a Sugar 14 in. dia bears S 44 E 30 lbs. dist. S
a Beech 8 " " " N 25 W 8 " "
Land selling 2^d rate, timber Beech, Sugar,
Ash, Oak - Wgs. Spice June 23. 1820

East on Randon between Sec. 22 & 27

40.00 set setup. gr. sec. post

65.00 a Stream 50 lbs. wide course S

80.00 Intersect N & S line 20 lbs. N. of post -
Soil 2^d rate, timber as before noted

West Corrected between Sec. 22 & 27

2.10 a R. Oak 30 in. dia.

40.00 set gr. sec. post at aver. dist. from which
a Beech 24 in. dia bears North 11 lbs. dist S
a Do 18 " " " S 25 E 29 " "

44.98 a Do 26 " "

80.00 to sec. cor. June 23. 1820

North between Sec. 21 & 22

10.70 a Sugar 16 in. dia.

40.00 set gr. sec. post from which
a W. Ash 14 in. dia bears S 18 E 5 lbs. dist S
a Lynn 18 " " " N 18 E 40 " "

42.91 a Beech 18 " "

80.00 set post cor. of Sec. 15, 16, 21 & 22 from which
a W. Oak 58 in. dia bears S 48 W 18 lbs. dist S
a W. Elm 5 " " " N 20 E 6 " "
Land sold 2^d rate, timber Oak, Beech, Ash,
Poplar. Wgs. Spice June 24. 1820

T. 17 N., R. 4 W. 2. Mer. Ind^a.

Chr. Sh.

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. post

80.00 Intersect N & S. line 20 lbs. N. of post -

Land level, soil 2. rate, timber Beech, Ash,
Sugar; Wyr. Spice

West Connected between Sec. 15 & 22

12.88 a Hickory 13 in. dia.

40.00 set g. sec. post at cross. dist. from which
a Poplar 50 in. dia. bears N 27° W 15 lbs. dist &
a Sugar 10 " " " S 36° E 14 " "

41.84 a Poplar 40 " "

80.00 to sec. cr. June 24, 1820

North between Sec. 15 & 10

7.58 a Poplar 60 in. dia.

40.00 set g. sec. post from which
a Maple 13 in. dia. bears S 87° W 20 lbs. dist &
a Beech 14 " " " S 82° E 49 " "

60.00 a Stream 6 lbs. wide course N

67.50 a W. Oak 16 in. dia.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a Sugar 18 in. dia. bears S 13° W 48 lbs. dist &
a Beech 24 " " " N 33° E 30 " "Land level, soil 2. rate, timber Oak, Beech,
Poplar, Sugar; Wyr. Spice. June 24, 1820

East on Random between Sec. 10 & 15

25.00 a Stream 6 lbs. wide course S

40.00 set temp. g. sec. post

43.50 a Stream 8 lbs. wide course N

80.00 Intersect N & S. line 8 lbs. N. of post -

Land & timber the same as last noted

West Connected between Sec. 10 & 15

8.40 a Beech 24 in. dia.

T. H. N., R. A. W. D. Mer. Ind.^a.
 Ehs. Ehs.

40.00 set gr. sec. post at aver. dist. from which
 a W. Ash 30 in. dia. bears S 49° W 29 lbs. dist. S
 a Sugar 18 " " " East 14 " "
 80.00 to sec. cor.

North between Sec. 9 & 10

8.00 enter Swamp

9.30 a B. Oak 24 in. dia.

17.00 enter dry land

40.00 set gr. sec. post from which

a B. Ash 12 in. dia. bears N 86° E 7 lbs. dist. S

a W. Oak 40 " " " S 19° W 22 " "

49.53 a W. Elm 50 " "

80.00 set post cor. of sect. 3, 4, 9 & 10 from which

a Sugar 12 in. dia. bears S 85° E 31 lbs. dist. S

a R. Elm 9 " " " S 44° W 43 " "

Level Private land, timber Oak, Beech, Ash,
 Sugar; Upr. Spice & Hazel. June 25. 1820

East on Random between Sec. 3 & 10

40.00 set temp. gr. sec. post

53.00 a Stream 8 lbs. wide course S.

80.00 Intersect N & S line 10 lbs. N. of post -

Land level & wet, timber Beech, B. Ash

West Corrected between Sec. 3 & 10

7.65 a Beech 15 in. dia.

40.00 set gr. sec. post at aver. dist. from which

a Poplar 5 in. dia. bears N 54° E 23 lbs. dist. S

a Beech 20 " " " N 51° W 31 " "

43.24 a Hickory 18 " "

80.00 to sec. cor.

North between Sec. 3 & 4

7.00 a Hickory 16 in. dia.

31.75 a Stream 6 lbs. wide course W

T. 17 N., R. 4 W. 2. Mer. Ind.^o.
Ch. Cr.

40.00 set gr. sec. part from which
a B. Ash 14 in. dia. bears S 4 E 30 W. dist 8
a Beech 20 " " " N 55 E 50 " "

47.48 a Hickory 14 " "

58.00 a Stream 10 W. wide course S W

70.30 Intersect N. Boundary 151 W. E. of part -
set part at intersection cor. of sec. 32 & 4 from which
a Sugar 12 in. dia. bears S 18 E 14 W. dist 8
a Do 20 " " " S 80 W 23 " "
Land level, soil 2^d quality; timber Beech,
Oak, Ash; Upr. Spice. June 24. 1820

North between Sec. 32 & 33

18.43 a Hickory 20 in. dia.

40.00 set gr. sec. part from which
a Beech 8 in. dia. bears S 84 E 4 W. dist 8
a Do 6 " " " S 86 W 22 " "

50.00 a Hickory 22 " "

80.00 set part cor. of sec. 28, 29, 32 & 33 from which
a R. Elm 20 in. dia. bears S 83 W 33 W. dist 8
a Beech 10 " " " N 31 E 25 " "

Land rolling, soil 2^d rate, timber B. Walnut,
Sugar, Beech; no Upr. June 25. 1820

West directed... between Sec. 28 & 33

4.68 a Sugar 24 in. dia.

39.91 set gr. sec. part at aver. dist from which
a Beech 24 in. dia. bears N 13 W 16 W. dist 8
a Sugar 10 " " " S 33 E 19 " "

48.00 a Buckeye 18 " "

79.82 to Sec. cor. (By mistake the Cor. line was copied first)

East on Random between Sec. 28 & 33

23.60 a Stream 6 W. wide course S E

30.60 a Do 8 " " " S

40.00 set temp. gr. sec. part

Vol. 14

T. 17 N., R. 4 W. 2. Mer. Ind. a

Chs. Lbs.

79.82 Intersect N & S. line 7 Lbs. S. of post -
Land broken, soil 2^d rate. June 25. 1820

North between Secs. 28 & 29

8.50 a Hickory 30 in. dia.

26.50 a Stream 6 Lbs. wide course S E

40.00 set g. sec. post from which

a Sugar 30 in. dia. bears S 48 W 4 Lbs. dist 8

a Beech 12 " " " S 62 E 57 " "

77.50 a Hickory 24 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a Sugar 24 in. dia. bears N 36 E 20 Lbs. dist 8

a Beech 9 " " " N 61 W 14 " "

Land 1 ¹/₂ mile broken, last ¹/₂ mile level 2^d.
rate, timber Beech, Oak, Ash, Poplar, Sugar,
Hickory, B. Walnut. Upr. Spice. June 25. 1820

East on Random between Secs. 21 & 28

18.50 a Stream 6 Lbs. wide course S.

36.50 a Do 6 " " " S

40.00 set temp. g. sec. post

79.80 Intersect N & S. line 10 Lbs. N. of post -

Land some broken, soil 2^d rate, timber Beech,
Oak, Poplar, Hickory, Sugar, Upr. Spice

West Corrected between Secs. 21 & 28

1.54 a Hickory 24 in. dia.

39.90 set g. sec. post at aver. dist. from which

a Beech 8 in. dia. bears S 22 E 29 Lbs. dist. 8

a Do 6 " " " N 25 E 23 " "

43.66 a Do 15 " "

79.80 to sec. cor.

North between Secs. 20 & 21

7.00 a Sugar 26 in. dia.

13.00 a Stream 4 Lbs. wide course E

40.00 set g. sec. post from which

T. 17 N., R. 4 W. E. Mer. Ind.^a
 Ch. Sh.

a Beech 10 in. diameter S 44 E 53 lbs. ditto
 a Hickory 18 " " " N 40 E 52 " "
 80.00 set part cen. of sec. 10, 17, 20 & 21 from which
 a W. Oak 38 in. diameter S 87 E 21 lbs. ditto
 a W. Ash 12 " " " N 28 E 27 " "
 Land level, last juvenile wet, soil 3^d rate,
 timber Beech, B. Ash, Sugar, Walnut, Hickory,
 Poplar, Upr. Willow & Spice

East on Random between Sec. 10 & 21

40.00 set temp. g. sec. part

79.80 Intersect N. G. line 13 lbs. N. of part -

Land level, soil 3^d rate, timber B. Ash, Hickory,
 Swamp Oak Upr. Willow & Spice

West Connected between Sec. 10 & 21

11.12 a Poplar 60 in. dia.

39.90 set g. sec. part at aver. dit. from which

a Sugar 24 in. diameter S 43 E 20 lbs. ditto

a B. Oak 20 " " " N 8 E 20 " "

48.53 a Beech 14 " "

79.80 to sec. cen.

North between Sec. 10 & 17

17.25 a B. Walnut 36 in. dia.

40.00 set g. sec. part from which

a B. Ash 15 in. diameter S 85 W 13 lbs. ditto

a Do 5 " " " N 65 E 15 " "

66.84 a W. Oak 14 " "

80.00 set part cen. of sec. 8, 9, 10 & 17 from which

a W. Oak 10 in. diameter S 32 W 27 lbs. ditto

a Lyr. 13 " " " N 37 W 9 " "

Land level wet, soil thin 3^d rate, timber
 Beech, Ash, Sugar, Poplar, Oak, Hickory
 Upr. Spice June 26, 1820

T. H. N., R. H. W. J. Mer. Ind. a.
Chas. L. H.

East on Random between Sect. 9 & 10.

40.00 set temp. gr. sec. port

79.85 Intersect No 8 line 12 hrs. E. of port -

Land level sweet, timber B. Ash, Beech,
Oak, Upr. Hazel June 26, 1820

West Corrected between Sect. 9 & 10

14.47 a W. Ash 8 in. dia.

39.92 set gr. sec. port at aver. dist. from which

a W. Ash 36 in. dia. bears S 74 W 21 hrs. dist. S

a Beech 18 " " " N 71 E 50 " "

44.37 all Hickory 20 " "

79.85 to sec. cor.

North between Sect. 8 & 9

9.00 a R. Elm 20 in. dia.

40.00 set gr. sec. port from which

a Hickory 12 in. dia. bears S 38 W 14 hrs. dist. S

a B. Ash 13 " " " N 64 E 25 " "

59.34 a Sugar 18 " "

80.00 set port cor. of Sect. 4, 5, 8 & 9 from which

a B. Ash 10 in. dia. bears S 76 W 34 hrs. dist. S

a Do 10 " " " N 87 E 22 " "

Land level, soil thin 3rd rate, timber Beech,
B. Ash, Swamp Oak, Upr. Hazel. June 27, 1820

East on Random between Sect. 4 & 9

35.50 a Stream 10 hrs. wide course N

40.00 set temp. gr. sec. port

79.80 Intersect No 9 line 15 hrs. N. of port -

Land level, timber B. Ash & Hickory, Upr.
Pines - June 27, 1820

West Corrected between Sect. 4 & 9

4.19 a Maple 18 in. dia.

39.90 set gr. sec. port at aver. dist. from which

a Beech 16 in. dia. bears N 70 W 27 hrs. dist. S

T. 17 N., R. 4 W. 2. Mer. Ind. a.
Ch. 25.

a Beech 14 in. dia. diam. S 11 E 25 lbs. dirt
46.08 a W. Oak 26 ; ; ;
79.80 to sec. cor.

North between Sec. 4 & 5

23.08 a Beech 16 in. dia.

40.00 set of sec. part from which

a Beech 18 in. dia. diam. N 76 W 19 lbs. dirt 8

a Do 24 ; ; ; S 62 E 28 ; ;

45.28 a B. Ash 40 ; ;

76.10 intersect N. Boundary 184 lbs. E. of post-

set part at intersection cor. of sec. 4 & 5 from which

a Sugar 10 in. dia. diam. S 44 W 12 lbs. dirt 8

a B. Walnut 24 ; ; ; S 50 E 16 ; ;

Land T. 1/2 mile level, last 1/2 mile soil rich

water, timber B. Walnut, Sugar, Oak, Ash

Wys. Spice June 27, 1820

North between Sec. 31 & 32

7.88 a Sugar 18 in. dia.

38.90 a good spring: course S E

40.00 set of sec. part from which

a Beech 4 in. dia. diam. S 35 W 10 lbs. dirt 8

a Sugar 15 ; ; ; N 25 E 22 ; ;

76.70 a Do 20 ; ;

80.00 set part cor. of sec. 29, 30, 31 & 32 from which

a Sugar 24 in. dia. diam. S 18 W 12 lbs. dirt 8

a Do 20 ; ; ; N 69 E 24 ; ;

Land rolling, soil T. 1/2 mile, timber B. Walnut,

Sugar, Ash, Elm, Beech, Wys. Spice

East in Random between Sec. 29 & 32

40.00 set temp. of sec. part

79.80 intersect N. & E. line 10 lbs. S. of post-

Land & timber the same as last noted

T. H. N., R. H. W. J. Mer. Ind.?

Chs. Chs.

West Connected between Secs 29 & 32

5.42 a Beech 30 in. dia.

39.90 at g. sec. post at aver. dist. from which

a W. Ash 26 in. dia. bears S 71 W 25 lbs. dist 8

a Sugar 15 " " " N 88 E 28 " "

43.04 a Beech 18 " "

79.80 to sec. cor. June 27, 1820

North between Secs 29 & 30

32.00 a Sugar 20 in. dia.

40.00 at g. sec. post from which

a Beech 12 in. dia. bears N 10 E 30 lbs. dist 8

a Dr 10 " " " S 86 W 2 " "

76.47 a Dr 18 " "

80.00 at post cor. of secs 19, 20, 29 & 30 from which

a Sugar 12 in. dia. bears N 22 E 13 lbs. dist 8

a Hickory 13 " " " S 33 W 21 " "

Land level, soil 2. rate, timber Beech, Ash,

Oak, Walnut, Sugar; Wp. Spice. June 28, 1820

East on Random between Secs 20 & 29

40.00 at temp. g. sec. post

79.90 Intersect N. G. line 10 lbs. N. of post -

Land & timber same as last noted

West Connected between Secs 20 & 29

6.85 a Beech 24 in. dia.

39.95 at g. sec. post at aver. dist. from which

a W. Elm 18 in. dia. bears N 74 W 30 lbs. dist 8

a Hornbeam 8 " " " N 20 W 4 " "

47.77 a Hickory 18 " "

79.90 to sec. cor. June 28, 1820

North between Secs 19 & 20

7.61 a Hickory 16 in. dia.

40.00 at g. sec. post from which

a Sugar 14 in. dia. bears S 31 W 26 lbs. dist 8

T. 17 N., R. 4 W. 2. Mer. Ind. a.
Chp. 2d.

a W. Ash 26 in. dia bears North 18 lbs. dist.
65.75 a B. Walnut 30, s
80.00 to port cu. of sec. 17, 18, 19 & 20 from which
a Lym 18 in. dia bears S 28 E 20 lbs. dist &
a Do 20, s, s, S 81 W 32, s
Land level, soil rich & rate, timber B. Walnut,
Ash, Beech, Oak - Upr. Spruce. June 28, 1820

East on Random between Sec. 17 & 20
40.00 to temp. of sec. port
80.00 Intersect N. G. line 10 lbs. S. of port -
Land & timber the same as last noted

West Connected between Sec. 17 & 20
4.68 a B. Walnut 30 in. dia.
40.00 to of sec. port at cross. dist. from which
a Beech 12 in. dia bears N 48 W 18 lbs. dist &
a Do 10, s, s, S 29 E 25, s
46.73 a Hickory 25, s
80.00 to sec. cu. June 28, 1820

North between Sec. 17 & 18
7.32 a B. Oak 10 in. dia.
40.00 to of sec. port from which
a Poplar 50 in. dia bears S 41 E 14 lbs. dist &
a W. Oak 14, s, s, N 88 W 22, s
45.57 a Beech 14, s
57.50 a Stream 20 lbs. wide course W
80.00 to port cu. of sec. 7, 8, 17 & 18 from which
a Lym 14 in. dia bears N 88 W 24 lbs. dist &
a Hickory 8, s, s, N 70 E 25, s
Land level level, soil thin, timber Hickory
B. Ash, Elm, Lym, Sugar, Poplar, Upr.
Hazel June 29, 1820

East on Random between Sec. 8 & 17

T. 17 N., R. 4 W. 2. Mer. Ind. a

Chp. Chs.

40.00 set temp. g. sec. port

80.00 Intersect N. S. line 6 Ms. S. of port -
Land & timber the same as last noted

West Connected between Sect. 8 & 17

10.50 a Beech 16 in. dia.

40.00 set g. sec. port at aver. dist. from which

a W. Oak 28 in. dia. bears S 17° W 21 Ms. dist 8

a Beech 11 " " " N 65° W 28 " "

48.32 a Hickory 10 " "

80.00 to sec. cor. June 29. 1820

North between Sect. 7 & 8

13.00 a Sugar 14 in. dia.

40.00 set g. sec. port from which

a W. Oak 16 in. dia. bears N 10° W 18 Ms. dist 8

a Do - " " " S 25° E 40 " "

64.62 a W. Elm 18 " "

80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a W. Ash 30 in. dia. bears N 52° W 28 Ms. dist 8

a B. Oak 32 " " " S 87° E 46 " "

Land level, soil 3. rate, timber Beech, Oak,
Sugar; Wyr. Hazel

East on Random between Sect. 5 & 8

40.00 set temp. g. sec. port

80.20 Intersect N. S. line 6 Ms. S. of port -

Land level, soil 3. rate, timber as before

West Connected between Sect. 5 & 8

15.00 a Beech 14 in. dia.

40.10 set g. sec. port at aver. dist. from which

a W. Oak 24 in. dia. bears N 78° W 23 Ms. dist 8

a Maple 14 " " " S 51° E 34 " "

80.20 to sec. cor. June 29. 1820

North between Sect. 5 & 6

T. 17 N., R. 4 W. D. Mer. Ind. a
Ch. Ch.

- 3.80 a Stream 5 lbs. wide course W
40.00 set of sec. post from which
a Buckeye 14 in. diameter N 61 E 10 lbs. dirt 8
a W. Elm 20 s s s S 38 W 22 s s
43.90 a Beech 18 s s
50.00 a Stream 25 lbs. wide course S W
70.40 Intersect N. Boundary 200 lbs. E. of post -
set post at intersection cor. of sec 5 & 6 from which
a Beech 18 in. diameter East 6 lbs. dirt 8
a Do 10 s s s S 49 W 30 s s
Land T. $\frac{1}{2}$ mile level wet - $2\frac{1}{2}$ miles broken
soil rich, timber Ash, Oak, Walnut, Sugar
Upr. Spice

West between Sec. 6 & 7

- 31.93 a W. Ash 12 in. dia.
40.00 set of sec. post from which
a Beech 10 in. diameter S 4 E 17 lbs. dirt 8
a Do 8 s s s N 59 E 7 s s
45.00 a Stream 6 lbs. wide course S W
78.70 Intersect N. Boundary 50 lbs. S. of post -
set post at intersection cor. of Sec. 6 & 7 from
which a B. Ash 10 in. diameter S 25 W 9 lbs. dirt 8
a Do 5 s s s N 78 E 9 s s
Land level, soil P. rate, timber Beech
Oak, Ash. Upr. Spice

West between Sec. 7 & 18

- 15.20 a Stream 20 lbs. wide course N W
35.25 a Sugar 18 in. dia.
40.00 set of sec. post from which
a Hickory 18 in. diameter S 32 W 30 lbs. dirt 8
a Sugar 18 s s s N 19 E 12 s s
48.90 a B. Oak 36 s s
51.50 a Stream 20 lbs. wide course S W
79.25 Intersect N. Boundary 100 lbs. S. of post -

T. H. N., R. H. W. D. Mer. Ind. a.
Chas. Lk.

set post at intersection Cu. of sec. 7 & 18 from which
a W. Ash 22 in. dia. bears N 39 E 20 lbs. dist 8
a Sugar 13 " " " S 45 E 15 " "
Land level, soil T. rate, timber Oak, Ash,
Walnut; Upr. Spice June 29. 1820

West between Sec. 18 & 19

32.00 a Stream 40 lbs. wide course N W

35.14 a B. Oak 25 in. dia.

40.00 set g. sec. post from which

a Sugar 12 in. dia. bears S 18 E 9 lbs. dist 8

a Do 10 " " " N 42 W 10 " "

59.12 a Do 13 " "

79.36 Intersect W. Boundary 11 lbs. S. of post -

set post at intersection Cu. of sec. 18 & 19 from which

a Beech 22 in. dia. bears S 34 E 30 lbs. dist 8

a Do 20 " " " S 85 E 35 " "

Land level, soil T. rate, timber Beech, Ash, Oak

West between Sec. 19 & 30

10.15 a Poplar 36 in. dia.

16.50 a Stream 6 lbs. wide course N

40.00 set g. sec. post from which

a W. Ash 24 in. dia. bears S 36 E 17 lbs. dist 8

a W. Elm 9 " " " N 18 E 10 " "

45.80 a W. Oak 40 " "

79.50 Intersect W. Boundary 25 lbs. S. of post -

set post at intersection Cu. of sec. 19 & 30 from which

a P. Elm 6 in. dia. bears N 29 E 32 lbs. dist 8

a Sugar 9 " " " N 77 E 2 " "

Land level, soil T. rate, timber Beech, Ash,
Elm, Oak

West between Sec. 30 & 31

9.25 a Sugar 12 in. dia.

20.50 a Stream 6 lbs. wide course S W

40.00 set g. sec. post from which

T. 17 N., R. 4 W. 2. Mer. Ind. 4
Chs. 862,

a Beech 12 in. dia. bears N 67 W 17 Chs. dist 8

a Sugar 13 " " " S 78 E 18 " "

79, 70 Intersected W. Boundary 20 Chs. N. of post

set post at intersection C. of Sec. 30 & 31 from which

a Beech 6 in. dia. bears N 4 E 21 Chs. dist 8

a Do 10 " " " N 69 E 28 " "

Land level 2. rate, timber Ash, Beech,

Poplar, Oak June 29, 1820

Surveyed by Joseph S. Allen

Dep. Surveyor.

I certify that the foregoing transcript
of Field Notes of the survey of Township N.
17 North, in Range N. 4 West of the 2.
Principal Meridian, in the State of Ind-
iana, has been compared with the original
on file in this office, and found to be correct.
Surveyor General's Office,
Cincinnati, Oct. 26, 1842

William Johnston
Sur. Genl.